


LumiPar 12IP - FULL (20°)

12x9 W RGBW compact IP LED PAR



Photometrics

Flux out: 2,578 lm



Note: the Curves indicate the illuminated area and the average illumination when the luminaire is at different distance


LumiPar 12IP - BLUE (20°)

12x9 W RGBW compact IP LED PAR



Photometrics

Flux out: 156,6 lm



Height E avg / E max

Angle: 22.08°

Diameter

Note: the Curves indicate the illuminated area and the average illumination when the luminaire is at different distance


LumiPar 12IP - GREEN (20°)

12x9 W RGBW compact IP LED PAR



Photometrics

Flux out: 1,126 lm



Note: the Curves indicate the illuminated area and the average illumination when the luminaire is at different distance


LumiPar 12IP - RED (20°)

12x9 W RGBW compact IP LED PAR



Photometrics

Flux out: 439,3 lm



Note: the Curves indicate the illuminated area and the average illumination when the luminaire is at different distance


LumiPar 12IP - WHITE (20°)

12x9 W RGBW compact IP LED PAR



Photometrics

Flux out: 1,133 lm



Note: the Curves indicate the illuminated area and the average illumination when the luminaire is at different distance


LumiPar 12IP - FULL (45°)

12x9 W RGBW compact IP LED PAR



Photometrics

Flux out: 2,832 lm



Height E avg / E max

Angle: 39.08°

Diameter

Note: the Curves indicate the illuminated area and the average illumination when the luminaire is at different distance


LumiPar 12IP - BLUE (45°)

12x9 W RGBW compact IP LED PAR



Photometrics

Flux out: 160.7 lm



Note: the Curves indicate the illuminated area and the average illumination when the luminaire is at different distance


LumiPar 12IP - GREEN (45°)

12x9 W RGBW compact IP LED PAR



Photometrics

Flux out: 1,140 lm



Note: the Curves indicate the illuminated area and the average illumination when the luminaire is at different distance


LumiPar 12IP - RED (45°)

12x9 W RGBW compact IP LED PAR



Photometrics

Flux out: 523,3 lm



Note: the Curves indicate the illuminated area and the average illumination when the luminaire is at different distance


LumiPar 12IP - WHITE (45°)

12x9 W RGBW compact IP LED PAR



Photometrics

Flux out: 1,1171 lm



Height E avg / E max

Angle: 39.69°

Diameter

Note: the Curves indicate the illuminated area and the average illumination when the luminaire is at different distance